Safety Data Sheet
Regulation (EC) No. 1907/2006 and 1272/2008

Printing Date: July 13, 2024 **Version No.: 1.0** **Revision: July 13, 2024**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name:

Dog Cleaning Sheet

· Other means of identification:

Registration number: No available data.

UFI code: No available data.

· 1.2 Relevant identified uses of the substance or mixture and uses advised against on

· Application of the substance/ mixture:

Consumer uses, for dogs cleaning.

· Uses advised against:

No available data.

· Reason why uses advised against:

No available data.

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Guangzhou Joyson Cleaning Products Co. Ltd.

No. 9 Dongliu Shengping Road, Nansha District, Guangzhou City, Guangdong Province, China

Post code: 511470

Tel: +086-20-3901-2430

Email: zhongjj@xsclean.com

National contact: Zhongjianjia

· Only Representative/other EU contact point:

No information available.

· Further information obtainable from:

Guangzhou Joyson Cleaning Products Co. Ltd.

· 1.4 Emergency telephone number

Tel: +086-18930068728

(24 hours available, for English and Chinese service only)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· 2.1.1 Classification according to regulation (EC) 1272/2008:

Regulation (EC) No 1272/2008 [CLP]	Classification procedure
Skin Irrit.2, H315	Additivity approach
Skin Sens. 1, H317	Cut-off values/concentration limits approach
Eye Dam. 1, H318	Additivity approach
Aquatic Chronic 3, H412	Summation method

· 2.1.2 Additional information:

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

· 2.2 Label elements

· Labeling according to Regulation (EC) No 1272/2008:

Safety Data Sheet
Regulation (EC) No. 1907/2006 and 1272/2008

Printing Date: July 13, 2024 **Version No.: 1.0** **Revision: July 13, 2024**

Trade Name: Dog Cleaning Sheet

The product is labelled according to CLP Regulation.

· **Hazard pictograms:**

GHS05

· **Signal word:**

Danger

· **Hazard-determining components of labelling:**

Sodium C14-16 olefin sulfonate

Cocamidopropyl betaine

Lauryl glucoside

Disodium cocoamphodiacetate

· **Hazard statements:**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects

· **Precautionary statement:**

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P264	Wash hands and face thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338+P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P501	Dispose of contents/container in accordance with local/regional/national/international regulation.

· **Supplemental label elements:**

Not applicable.

· **2.3 Other hazards**

None of the ingredients (≥0.1%) meets the criteria for PBT/vPvB in accordance with Annex XIII.

None of the ingredients (≥0.1%) is identified as having endocrine disrupting properties according to Regulation (EU) 2017/2100.

SECTION 3: Composition/information on ingredients

· **3.1 Substance**

Not applicable

· **3.2 Mixtures**

· **Description of the mixture:**

Dog Cleaning Sheet.

Ingredients:						
Substance	**CAS No.**	**Index No.**	**EC No.**	**w/w, %**	**CLP Classification**	**SCL/M-factor/ATE**

Safety Data Sheet
Regulation (EC) No. 1907/2006 and 1272/2008

Printing Date: July 13, 2024 **Version No.: 1.0** **Revision: July 13, 2024**

Trade Name: Dog Cleaning Sheet

Polyvinyl alcohol	25213-24-5	-	-	15-35	None	-
Sodium C14-16 olefin sulfonate	68439-57-6	-	270-407-8	15-35	Skin Irrit. 2, H315 Eye Dam. 1, H318	-
Water	7732-18-5	-	231-791-2	5-15	None	-
Starch	9005-25-8	-	232-679-6	5-15	None	-
Cocamidopropyl betaine	61789-40-0	-	263-058-8	0.5-5	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Aquatic Chronic 3, H412	-
Lauryl glucoside	110615-47-9	-	-	0.5-5	Skin Irrit. 2, H315 Eye Dam. 1, H318	-
Disodium cocoamphodiacetate	68650-39-5	-	272-043-5	0.5-5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	-
Tetrasodium glutamate diacetate	51981-21-6	-	257-573-7	0.5-5	None	-
Sodium lauroyl glutamate	29923-31-7	-	249-958-3	0.5-5	Skin Irrit. 2, H315 Eye Irrit. 2, H319	-
Propane-1,2-diol	57-55-6	-	200-338-0	0.5-5	None	-
Sodium lauroylsarcosinate	137-16-6	-	205-281-5	0.5-5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Acute Tox. 2, H330	ATE (inhal.)= 0.05 mg/l (dust)
Glycerin	56-81-5	-	200-289-5	0.5-5	None	-
PEG-12 dimethicone	68937-54-2	-	-	0.1-1	None	-
Allantoin	97-59-6	-	202-592-8	0.1-1	None	-
Saponins	8047-15-2	-	232-462-6	0.1-1	Eye Irrit. 2, H319 STOT SE 3, H335	-
Camellia japonica flower extract	223748-13-8	-	-	0.1-1	None	-
Citric acid	5949-29-1	-	-	0.05-1	Eye Irrit. 2, H319 STOT SE 3, H335	-
Fragrance	-	-	-	0-1	None	-
4,4'-dichloro-2-hydroxy diphenyl	3380-30-1	605-023-00-5	429-290-0	0.1-0.6	Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M=10 M(Chronic)=10
Dichlorobenzyl alcohol	1777-82-8	-	217-210-5	0.05-0.35	Eye Dam. 1, H318 Acute Tox. 4, H332 Aquatic Chronic 3, H412	ATE (inhal.)=2.04 mg/l (dust/mist)

Additional information:

Safety Data Sheet
Regulation (EC) No. 1907/2006 and 1272/2008

Printing Date: July 13, 2024 **Version No.: 1.0** **Revision: July 13, 2024**

Trade Name: Dog Cleaning Sheet

Full text of H- and EUH-statements, see SECTION 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General advice:

Get medical attention if you feel unwell.

After inhalation:

Supply with fresh air.

Get medical attention if you feel unwell.

After skin contact:

Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a POISON CENTER/doctor.

After swallowing:

Rinse mouth.

Call a POISON CENTER/doctor if you feel unwell.

· 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are as indicated in sections 2 and 11.

· 4.3 Indication of any immediate medical attention and special treatment needed:

Treat according to symptom, there is not known specific medicine.

SECTION 5: Fire-fighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

Use CO_2, chemical powder, water spray or alcohol resistant foam to extinguish.

· Unsuitable extinguishing media:

Water with full jet.

· 5.2 Special hazards arising from the substance or mixture:

May form corrosive/ allergic dust in air under fire.

· 5.3 Advice for firefighters

Protective equipment:

Wear self-contained breathing apparatus for firefighting.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

· 6.1.1 For non-emergency personnel

Safety Data Sheet
Regulation (EC) No. 1907/2006 and 1272/2008

Protective equipment:

Protective gloves/eye protection/face protection/respiration protection.

Emergency procedures:

Ensure adequate ventilation.

Avoid breathing dust.

Avoid contact with skin and eyes.

Avoid release to the environment.

· 6.1.2 For emergency responders

Personal protective equipment:

Protective gloves/eye protection/face protection/respiration protection.

· 6.2 Environmental precautions:

Prevent further leakage or spillage if safe to do so.

Prevent spillage from entering drains, sewer, basement or confined areas.

If the spillage contaminates rivers, lakes or drains inform respective authorities.

· 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to section 13.

· 6.4 Reference to other sections:

See section 7 for information on safe handing.

See section 8 for information on personal protection equipment.

See section 13 for disposal in formation.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling:

Ensure adequate ventilation at workplace.

Avoid contact with skin and eyes.

Avoid release to the environment.

· Information about fire and explosion protection:

Normal measures for preventive fire protection.

· 7.2 Conditions for safe storage, including any non-compatibility

· Requirements to be met by storerooms and receptacles:

Store in a cool and well-ventilated place.

· Information about storage in one common storage facility:

Keep out of reach of children.

· Further information about storage conditions:

Store locked up.

· Storage class:

13.

· 7.3 Specific end use(s):

See section 1.2.

Safety Data Sheet
Regulation (EC) No. 1907/2006 and 1272/2008

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

Country	Limit value - Eight hours	Limit value – Short term
9005-25-8 Starch		
Belgium	10 mg/m³	-
Ireland	10 mg/m³Inhalable fraction; 4 mg/m³ Respirable fraction	-
Spain	10 mg/m³ inhalable aerosol;	-
United Kingdom	10 mg/m³Inhalable fraction; 4 mg/m³ Respirable fraction	-
57-55-6 Propane-1,2-diol		
Ireland	150 ppm; 470 mg/m³	-
United Kingdom	150 ppm; 474 mg/m³	-
56-81-5 Glycerin		
Belgium	10 mg/m³	-
Finland	20 mg/m³	-
France	10 mg/m³	-
Germany (DFG)	200 mg/m³ Inhalable fraction	400 mg/m³ Inhalable fraction; 15 minutes average value
Ireland	10 mg/m³	-
Poland	10 mg/m³	-
Spain	10 mg/m³	-
United Kingdom	10 mg/m³	-

· DNELs:

DNEL type		DNEL worker value	DNEL consumer value
68439-57-6 Sodium C14-16 olefin sulfonate			
Systemic effects	Long-term, inhalation exposure	152.22 mg/m³	45.04 mg/m³
	Long-term, dermal exposure	2 158.33 mg/kg bw/day	1 295 mg/kg bw/day
	Long-term, oral exposure	-	12.95 mg/kg bw/day

· PNECs:

PNEC type	Value
68439-57-6 Sodium C14-16 olefin sulfonate	
Freshwater	24 µg/L
Intermittent releases (freshwater)	19.7 µg/L
Marine water	2.4 µg/L
Sewage treatment plant (STP)	4 mg/L
Sediment (freshwater)	767 µg/kg sediment dw
Sediment (marine water)	76.7 µg/kg sediment dw
Soil	1.21 mg/kg soil dw

· Additional information:

The lists valid during the marking were used as basis.

Safety Data Sheet
Regulation (EC) No. 1907/2006 and 1272/2008

· **8.2 Exposure controls**

· **Based on the composition shown in section 3, the following measures are suggested for occupational safety measure.**

· **Appropriate engineering controls:**

Handle in accordance with good industrial hygiene and safety practice.

Wash hands and face before breaks and at the end of work.

See section 7 for information about design of technical facilities.

· **Personal protective equipment**

· **Eye and face protection:**

Not required under normal conditions of use.

For industrial applications, following protection required:

Safety glasses

Protective goggles with side-shields.

· **Skin protection**

· **Hand protection:**

Not required under normal conditions of use.

For industrial applications, following protection required:

Protective gloves

Gloves made from butyl rubber Neoprene™ rubber, nitrile rubber (thickness> 0.3mm; breakthrough times up to 480 minutes).

· **Other skin protection:**

Not required under normal conditions of use.

For industrial applications, following protection required:

Face protection

Safety boots

Safety overalls

Face shield, gauntlets, boots, bodysuit are recommended.

· **Respiration protection:**

Not required under normal conditions of use.

For industrial applications, following protection required:

Respiratory equipment

Use positive pressure breathing mask if concentrations in air could exceed occupational exposure standard.

· **Thermal hazards:**

Not required under normal conditions of use.

For industrial applications, following protection required:

The gauntlets, boots, bodysuit and other personal protective equipment must be flame retardant and no heat-conducting.

· **Environmental exposure controls:**

Control measures must be made in accordance with Community environmental protection legislation.

Safety Data Sheet
Regulation (EC) No. 1907/2006 and 1272/2008

Printing Date: July 13, 2024 **Version No.: 1.0** **Revision: July 13, 2024**

Trade Name: Dog Cleaning Sheet

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties	
· Physical state	Solid
· Color	White
· Odor & Odor threshold	With Fragrance
· Melting point/freezing point (or softening point/range)	Not determined
· Boiling point or initial boiling point and boiling range	Not determined
· Flammability	Not determined
· Lower and upper explosion limit	Not determined
· Flash point	Not applicable
· Auto-ignition temperature	Not determined
· Decomposition temperature	Not determined
· pH	Not determined
· Kinematic viscosity (mm2/s)	Not applicable
· Solubility	Not determined
· Partition coefficient n-octanol/water (log value)	Not applicable
· Vapor pressure	Not determined
· Density and/or relative density	Not determined
· Relative vapor density	Not determined
· Particle characteristics	Not determined
· 9.2 Other information	
· 9.2.1 Information with regard to physical hazard classes:	
· Explosives	Not applicable
· Flammable gases	Not applicable
· Aerosols	Not applicable
· Oxidising gases	Not applicable
· Gases under pressure	Not applicable
· Flammable liquids	Not applicable
· Flammable solids	Not applicable
· Self-reactive substances and mixtures	Not applicable
· Pyrophoric liquids	Not applicable
· Pyrophoric solids	Not applicable
· Self-heating substances and mixtures	Not applicable
· Substances and mixtures, which emit flammable gases in contact with water	Not applicable
· Oxidizing liquids	Not applicable
· Oxidizing solids	Not applicable
· Organic peroxides	Not applicable
· Corrosive to metals	Not applicable
· Desensitised explosives	Not applicable
· 9.2.2 Other safety characteristics	
· Mechanical sensitivity	Not applicable

Safety Data Sheet
Regulation (EC) No. 1907/2006 and 1272/2008

· **Self-accelerating polymerisation temperature**	Not applicable
· **Formation of explosible dust/air mixtures**	Not applicable
· **Acid/alkaline reserve**	Not applicable
· **Evaporation rate**	Not applicable
· **Miscibility**	Not applicable
· **Conductivity**	Not applicable
· **Corrosiveness**	Not applicable
· **Gas group**	Not applicable
· **Redox potential**	Not applicable
· **Radical formation potential**	Not applicable
· **Photocatalytic properties**	Not applicable
· **Other physical and chemical parameters**	Not determined

SECTION 10: Stability and reactivity

· **10.1 Reactivity:**

The product is non-reactive under normal conditions of use, storage and transport.

· **10.2 Chemical stability:**

Under storage at normal ambient temperatures, the product is stable.

· **10.3 Possibility of hazardous reactions:**

No known hazardous reaction.

· **10.4 Conditions to avoid:**

High temperature.

· **10.5 Incompatible materials:**

Strong oxidizing agent and acids.

· **10.6 Hazardous decomposition products:**

Does not decompose when used for intended uses.

SECTION 11: Toxicological information

· **11.1 Information on toxicological effects**

· **Acute toxicity:**

Based on available data, the classification criteria are not met.

Species	Effective Dose	Results	Method/Source
61789-40-0 Cocamidopropyl betaine			
Rat	LD50-oral	>5000 mg/kg	ECHA registered dossier.
Rabbit	LD50-dermal	2000 mg/kg	ECHA registered dossier.
56-81-5 Glycerin			
Rat	LD50-oral	12600 mg/kg	Federation Proceedings, Federation of American Societies for Experimental Biology. Vol. 4, Pg. 142, 1945.
Rabbit	LD50-dermal	>10000 mg/kg	Toxicological Data, compiled by the National Institute of

Safety Data Sheet
Regulation (EC) No. 1907/2006 and 1272/2008

			Health (NIH), USA, selected and distributed by Technical Database Services (TDS), New York, 2009.
Rabbit	LD50-oral	27 g/kg	Delaware State Medical Journal., 31(276), 1959.
Mouse	LD50-oral	4090 mg/kg	Farmatsevtichnii Zhurnal, (6)(56), 1977 .
Guinea pig	LD50-oral	7750 mg/kg	Journal of Industrial Hygiene and Toxicology., 23(259), 1941.
Guinea pig	LD50-dermal	45 mL/kg	ECHA registered dossier.

· Skin corrosion/irritation:
Causes skin irritation.

· Serious eyes damage/ irritation:
Causes serious eye damage.

· Respiratory or skin sensitization:
Based on available data, the classification criteria are not met.

· Germ cell mutagenicity:
Based on available data, the classification criteria are not met.

· Carcinogenicity:
Based on available data, the classification criteria are not met.

· Reproductive toxicity:
Based on available data, the classification criteria are not met.

· STOT-single exposure:
Based on available data, the classification criteria are not met.

· STOT-repeated exposure:
Based on available data, the classification criteria are not met.

· Aspiration hazard:
Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· 11.2.1 Endocrine disrupting properties:
None of the ingredients (≥0.1%) is considered to have endocrine-disrupting properties with respect to humans, as none of them meet the criteria set out in section A of Regulation (EU) No 2017/2100.

· 11.2.2 Other information:
No known other relevant information on adverse health effects.

SECTION 12: Ecological information

· 12.1 Toxicity:

Species	Effect dose	Test duration	Value
61789-40-0 Cocamidopropyl betaine			
Danio rerio	LC50	96h	2 mg/L
Oncorhynchus mykiss	NOEC	28d	0.16 mg/L
Daphnia magna	EC50	48h	6.4 mg/L

Safety Data Sheet
Regulation (EC) No. 1907/2006 and 1272/2008

Daphnia magna	*NOEC*	*21d*	*0.9 mg/L*
Ulva lactuca	*EC50*	*48h*	*30 mg/L*
56-81-5 Glycerin			
Salmo gairdneri	*LC50*	*96h*	*54000 mg/L*
Daphnia magna	*LC50*	*48h*	*1955 mg/L*
Ceriodaphnia dubia	*NOEC*	*7d*	*800 mg/L*
Pseudomonas putida	*NOEC*	*16h*	*>10000 mg/L*

· 12.2 Persistence and degradability:

CAS	Substance	Biodegradation	Hydrolysis
61789-40-0	*Cocamidopropyl betaine*	*>90%(5d)*	*-*
56-81-5	*Glycerin*	*100%(24h)*	*-*

· 12.3 Bio-accumulative potential:

CAS	Substance	Log Pow	BCF
61789-40-0	*Cocamidopropyl betaine*	*-1.28*	*70.79*
56-81-5	*Glycerin*	*-1.75*	*-*

· 12.4 Mobility in soil:

CAS	Substance	Surface tension (mN/m)	Log Koc
61789-40-0	*Cocamidopropyl betaine*	*-1.28*	*70.79*
56-81-5	*Glycerin*	*63.4 (1000 g/L, 20 °C)*	*-*

· 12.5 Results of PBT and vPvB assessment:

This mixture does not contain any substances (≥0.1%) that are assessed to be a PBT or a vPvB.

· 12.6 Endocrine disrupting properties:

None of the ingredients (≥0.1%) is considered to have endocrine-disrupting properties with respect to non-target organisms, as none of them meet the criteria set out in section B of Regulation (EU) No 2017/2100.

· 12.7 Other adverse effects:

No known other adverse effects.

· 12.8 Additional ecological information

· General notes:

WGK1 (German Regulation) (self-assessment): slightly hazardous to water.

Do not allow the product to reach ground water, water course or sewage system.

SECTION 13: Disposal consideration

· 13.1 Waste treatment methods

· Recommendation:

Must not be disposed together with household garbage.

· 13.2 Un-cleaned packaging

· Recommendation:

Dispose of contents/container in according to the local/regional/national/ international regulation.

Safety Data Sheet
Regulation (EC) No. 1907/2006 and 1272/2008

Printing Date: July 13, 2024 **Version No.: 1.0** **Revision: July 13, 2024**

Trade Name: Dog Cleaning Sheet

SECTION 14: Transport information

· ADR/ADN/RID (2023 Edition)	This product is not subject to ADR/ADN/RID.
· IATA-DGR (65th)	This product is not subject to IATA-DGR.
· IMO/IMDG (41-22)	This product is not subject to IMO/IMDG code.

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· MAK (German Maximum Workplace Concentration):

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances-ANNEX I:

None of the ingredients is listed.

· Seveso category:

Not applicable

· Qualifying quantity (tonnes) for the application of lower-tier requirements:

Not applicable

· Qualifying quantity (tonnes) for the application of upper-tier requirements:

Not applicable

· National regulations.

· Water hazard class:

WGK1 (German Regulation) (self-assessment): slightly hazardous to water.

· Other regulations, limitations and prohibitive regulations

· SVHC Candidate list of REACH Regulation Annex XIV Authorization:

None of the ingredients is listed.

· REACH Regulation Annex XVII Restriction:

None of the ingredients is listed.

· REACH Regulation Annex XIV Authorization List:

None of the ingredients is listed.

· 15.2 Chemical safety assessment:

A Chemical Safe Assessment has not been carried out.

SECTION 16: Other information

· 16.1 Indication of changes:

None.

· 16.2 Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road).

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Safety Data Sheet
Regulation (EC) No. 1907/2006 and 1272/2008

DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
PBT: Persistent, Bio accumulative and Toxic
vPvB: very persistent and very bio accumulative
SVHC: Substance of Very High Concern
LD50: Lethal dose, 50 percent
LC50: Lethal concentration, 50 percent
EC50: Concentration of maximal effect, 50 percent
NOEC: No observed effect concentration
Acute Tox. 2: Acute toxicity, hazard category 2
Acute Tox. 4: Acute toxicity, hazard category 4
Skin Irrit. 2: Skin corrosion/irritation, hazard category 2
Skin Sens. 1: Skin sensitization, hazard category 1
Eye Dam. 1: Eye damage/irritation, hazard category 1
Eye Irrit. 2: Eye damage/irritation, hazard category 2
STOT SE 3: Specific target organ toxicity after single exposure, hazard category 3
Aquatic Acute 1: Short-term (acute) aquatic hazard, hazard category 1
Aquatic Chronic 1: Long-term (chronic) aquatic hazard, hazard category 1
Aquatic Chronic 3: Long-term (chronic) aquatic hazard, hazard category 3

· 16.3 Key literature references and sources for data:
https://echa.europa.eu/
https://chem.nlm.nih.gov/
https://www.osha.gov/
http://www.unece.org/
http://www.imo.org/
https://www.dguv.de/
https://epa.govt.nz/
http://www.ilo.org/
https://www.phmsa.dot.gov/

· 16.4 Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]:
See section 2.1 (classification).

· 16.5 Relevant H- and EUH-phrases (number and full text):
H315 Causes skin irritation
H317 May cause an allergic skin reaction
H318 Causes serious eye damage
H319 Causes serious eye irritation
H330 Fatal if inhaled
H332 Harmful if inhaled
H335 May cause respiratory irritation
H400 Very toxic to aquatic life
H410 Very toxic to aquatic life with long lasting effects
H412 Harmful to aquatic life with long lasting effects

· 16.6 Training advice:

Safety Data Sheet
Regulation (EC) No. 1907/2006 and 1272/2008

Printing Date: July 13, 2024 **Version No.: 1.0** **Revision: July 13, 2024**

Trade Name: Dog Cleaning Sheet

Workers must be trained in general and specific aspects of safe work procedures for this chemical. Workers need easy to understand guidelines and instructions for safe working with this chemical. Instructions, guidelines and legally required documents need to be available for workers in easy to understand language.

· 16.7 Further information:

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, its amendment Regulation (EU) No 2020/878 and (EC) No 1272/2008.

DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

****

End of safety data sheet